Н

е

to /?

in

| 10. | | notional messages, c ch of the following | | tion on a store etc. are rices? |
|-----|------------------------------------|---|---|--|
| | • • | directory services | | |
| | (C) Emergency ser | • | (D) Tracking serv | |
| 11. | · · · · | | · . | the detailed information |
| | | ducts and services d | - | |
| | (A) Relevant | (B) General | (C) With proper l | ayout (19) Detailed |
| 12. | Which of the follo | wing is not a proper | example of Hexa | decimal number? |
| | (A) OXFF7A | (B) OX39A2 | (C) OX532D | (D) OABC |
| 13. | Which kind of re aggregation? | ationship is establis | thed between class | es by composition and |
| | (A) A-kind-of | (B) has-a | (C) A-part-of | (D) is-a |
| 14. | Which of the follo source code? | wing will be execute | d by an event or w | then it is called inside a |
| | (A) Function | (B) Variable | (C) Event | (D) If statement |
| 15. | Syntax error in the | program is consider | ed as which kind o | of error? |
| | (A) Compilation en | ror | (B) Run time erro | or |
| | (C) Variable error | | (B) Run time error (D) Printing error which object, all the elements of the web page like | |
| 16. | In Browser Object | Model, in which ob | ject, all the elemen | nts of the web page like |
| | forms, images, link | s and others are inc | luded ? | |
| | (A) Location | (B) History | (C) Parent | (Ø) Document |
| 17. | What is the value of | of December month i | in the MONTH con | stant of calendar class? |
| | (A) 12 | (B) 1 | (Z) 11 | (D) 0 |
| 18. | After which comm be used only once | | apters are treated a | s appendices and it is to |
| | (A) \setcounter | | (B) \table of cont | ents |
| | (C) \mainmatter | | (♥) \appendix | |
| 19. | | • | cept used to embody | all the common features |
| | of a particular set | _ | | |
| | (A) Procedures | (B) Polymorphism | , , | (Ø) Class |
| 20. | What will happen included multiple | • | es not generate an | Exception and you have |
| | (A) They all execu | ite | • • | matching one executes |
| | (2) No catch block | | • | catch block executes |
| 21. | Which of the follo exceptions? | wing blocks contains | the code that may | give rise to one or more |
| | (A) throw | (B) throws | (C) finally | Ø) try |
| 22. | | • • • • • | • | iness now-a-days, which ttracting a large number |
| | (A) KompoZer | (B) Website | (C) JavaScript | (D) HTML |
| 23. | Which of the follo | wing are data centers | s which perform the | credit card transactions |
| | and manage funds | for the merchants? | | |

| 424 | | Standard 12 • Commerce : Computer Studies | Sta |
|-----|--|---|--|
| | (A) Issuing Bank | (B) Acquiring Bank | |
| | (2) Processors | (D) Payment Gateway | 37 |
| 24. | What should remain same for all po | ssible answers while creating radio button? | |
| | (A) Fixed value | (P) Group name | |
| | (C) Field selected option | (D) Initially selected option | 38. |
| 25. | Which logical operator returns true of one false) and false otherwise? | only if its operands are different (one true and | 39. |
| | (X) XOR (B) OR | (C) AND (D) NOT | |
| 26. | | example of which of the following options? | |
| | (A) Aggregration | (B) Inheritance | |
| | (C) Data Abstraction | (D) Encapsulation | |
| 27. | | lues of these attributes, these values are called | 40. |
| | (A) Data field (B) Layout | (L) State (D) Method | |
| 28. | Which of the following blocks is kn | own as exception handler? | 41. |
| | (A) try block | (B) main () method | 41. |
| | (C) catch block | (D) throw block | 42. |
| 29. | Which kind of exception will be thr | own by writer class? | 42. |
| • | (A) File Not Found Exception | (B) Arithmetic Exception | |
| | (Z) IOException | (D) NullPointer Exception | 43. |
| 30. | · · | N% 2==0? (N/2): (3*N+1); where N=7 then | 15.1 |
| | (K) 22 (B) 7 | (C) 3.5 (D) 0 | |
| 31. | Which of the following statements w the specified value? | ill stop the function from executing and return | 44. |
| | (A) Return statement | (B) If statement | |
| | (C) Event handler | (D) All (A), (B), (C) | |
| 32. | What is the full form of CTAN? | | - |
| | (A) Comprehensive Tex Architect N | etwork | - Carrier and Carr |
| | (B) The comprehensive Tex Archive | Network | |
| | (C) The Computerized Tex Archive | | Ì |
| | (D) The Comprehensive Tex Archive | | |
| 33. | Which of the following document cl | | , |
| | (A) letter (B) article | (C) book (D) beamer | |
| 34. | How many integer values will be sto | ored in the following array? | |
| | int marks [] [] = new int [4] [4]; | | 1 |
| | | (Ø) 16 (D) 4 | 45. |
| 35. | | representing a collection of homogeneous type | |
| | (A) Local (B) Instance | (C) Global (D) Array | |
| 36. | | er tries to assume the identity of another person | 46. |
| • | | | |

i

n

e

 \cdot n

| Stan | dard 12 • Commerce : Computer Studies | | 425 |
|-------------|--|----------------------|--------------------------|
| | (A) Sniffing (B) Spoofing (C) | Malicious code | (D) Cyber vandalism |
| 37. | In switch statement, if no match is found bet then which statement will be executed? | ween test expre | ession and case values |
| | (A) break (B) continue (C) | if else | (P) default |
| 38. | In Table Properties dialog box, which option | is used to speci | fy gap between cells ? |
| | (A) Size (B) Table alignment (C) | Spacing | (D) Padding |
| 9. | Wht will be the output, if following commar | nd sequence is | given in R software? |
| | > a ← 10 | | |
| | > b ← 30 | | |
| | > a * b | , | |
| | (A) Error (B) 10 | 3 00 \ | (D) 40 |
| 0. | Which methods operate on a particular object | | object ? |
| | | Local methods | |
| | • / | Global method | S |
| 1. | Which protection level provides data encaps | | |
| | | Public | (D) Package |
| 2. | | es like integer, | double or boolean into |
| | a file and also to store arrays and objects? | T £'1 | (TA) D: C'I. |
| • | (A) Text file (B) KompoZer file (C) | • | • |
| 3. | Which kind of exception will be generated, v number type is done? | vnen an attemp | t to convert string to a |
| | • | Null Pointer Ex | xception |
| | (C) Printer IO Exception (V) | Number Forma | t Exception |
| 4. | Find correct option from the following: | | |
| | A | В | |
| | (i) Line break command in LaTex | (p) / (backs | slash) |
| | (ii) Comment character in | (q) [] (squa | are brackets) |
| | (iii) Starting character of LaTex command | (r) \\ | |
| | (iv) Brackets used for optional arguments in LaTex | (s) % | |
| | $(A) (i) \rightarrow (s), (ii) \rightarrow (q), (iii) \rightarrow (p), (iv) \rightarrow$ | · (r) | |
| | $(P) (i) \rightarrow (r), (ii) \rightarrow (s), (iii) \rightarrow (p), (iv) \rightarrow$ | • | |
| | (C) (i) \rightarrow (p), (ii) \rightarrow (r), (iii) \rightarrow (q), (iv) \rightarrow | • | |
| | (D) (i) \rightarrow (q), (ii) \rightarrow (p), (iii) \rightarrow (r), (iv) \rightarrow | | |
| 1 5. | | · · · | sses ? |
| | (A) Empty diamond | e e | |

- (B) Filled diamond
- (C) The arrow points from superclass to subclass
- (D) The arrow points from subclas to superclass
- 46. Which kind of information, a website should include?

| 426 | | Standard 12 • Commerce : Computer Studies | St |
|-----|---|---|------------|
| | (A) In English language and translated | in other language | 58 |
| | (B) General and detailed | | |
| | (C) Complete and relevant | (D) Both (B) and (C) | |
| 47. | Which of the following options is no values? | t proper for array declaration with initial | 59 |
| | (A) int marks [3] = new marks {90, 70} (B) int marks [] = {90, 70, 77}; (C) int [] marks = {90, 70, 77}; (D) int marks [] = {90, 80, 70, 60} |), 77}; | 6(|
| 48. | Which method of scanner class returns | the next token? | 61 |
| 40. | (A) int next Int () | (B) String has Next () | . 01 |
| | (A) hit flext fit () (C) String next () | , , | |
| 40 | , | - | |
| 49. | Which command is used to assign value (A) and (B) to 5) | • | |
| | (A) sort (list, 5) | (B) sort (list, 1, 7, 5) | 62 |
| =0 | (C) fill (list, 2, 6, 5) | ∅) fill (list, 5) | |
| 50. | , , | d at the first statement after the switch | 63 |
| | (A) continue (B) default | (Q) break (D) for | |
| 51. | | of E-Commerce / M-commerce protects the | 6 4 |
| | (A) Confidentiality | (B) Integrity | |
| | (C) Authorization | (D) Non-repudiation | 65 |
| 52. | 0 | ites provides information regarding various re schemes, different application forms to be | 66 |
| | (A) G2B (B) G2G | (Ø) G2C (D) B2C | |
| 53. | Which is the proper statement to invol | ce display () method of superclass? | 67 |
| | (A) display () | (B) display super () | 0, |
| | | (D) show display () | |
| 54. | Y | ns true if invoking string is same as str? | |
| | (A) boolean compare to (string str) | | 68 |
| | (C) int compare to (str string) | (D) int equals (string str) | |
| 55. | | g same names to mean different things in | 65 |
| | (A) Overloading (B) Overridden | (C) Layout (D) Messaging | * 1 |
| 56. | Which of the following constructors specified in argument? | creates an object that refers to the literal | · · |
| | ★ string (string literal) | (B) string (char literal) | |
| | (C) string (string strobj) | (D) string (char ary []) | 7(|
| 57. | Which of the following makes website | designing quick and efficient? | |
| | (A) Java Script (B) CSS | (C) HTML (D) Java | |

s -

ıl

e h

ie

is

in

al

| 58. | When we write class in java, it is made | e up of which two components? |
|-------------|---|---|
| | (A) procedure and behaviour | (B) attributes and behaviur |
| | (C) variable and values | (D) main () method and constructor |
| 59. | Which toolbar is used to give Heading | - 1 style to the heading of the form ? |
| | (A) Format Toolbar-1 | (B) Format Toolbar-2 |
| | (C) Composition Toolbar | (D) Status Bar |
| 60. | • | UML notation, which pair bracket values, |
| | users are supposed to specify? (A) { } (B) []. | (L) <> (D) () |
| 61. | | at forms part of the owner class can exist |
| UI. | | of the part class is not determined by the |
| | (A) Inheritance | (P) Aggregation |
| | (C) Polymorphism | (D) Data-Abstraction |
| 62. | Which menu is used to start VLC Med | ia Player ? |
| | (A) Media → Open File | (B) Media → Open Directory |
| | (C) Media → Playlist | (\cancel{p}) Applications \rightarrow Sound & Video |
| <i>6</i> 3. | Which of the following LaTax command | ds is used to insert mathamatical symbol '∉' |
| | in the document? | |
| | (A) \subset (B) \in | (C) \notin (D) \nea |
| 64. | If $a = 12.5$ an $b = 7.2$, then after execu | |
| | (A) 1 (B) 5.3 | (C) 5.0 (D) 1.22 |
| 65. | | |
| | (A) Global (B) Local | (C) Label (D) Repetitive |
| 66. | | te and time of an object using elapsed time? |
| | (A) void set Time (long elapsed Time) | |
| | (C) Date (long elapsed Time) | (D) Date () |
| 67. | which of the following application of website www.irctc.co.in of Indian railw | E-commerce includes an example like the ays? |
| | (A) Online Auctions | (B) Marketing and Selling |
| | (C) Infomation Services | (D) Support Services |
| 68. | Which event would occur when elemen | nt such as buttom becomes active? |
| | (A) select (B) forcus | |
| 69. | Which of the following statements is / | are true for Java Script? |
| | (i) Java Script is used for validation | |
| | (ii) Can describe the style of the ele | ments in document not the content |
| | (iii) After using it, web page no long | |
| | (A) Only (iii) | (B) Only (ii) and (iii) |
| | (Q) Only (i) and (iii) | (D) All (i), (ii) and (iii) |
| 70. | In the syntax of CSS, in Declaration, v | which of the following is / are included? |
| | (A) HTML element | |
| | (B) Property associated with the HTMI | _ element |

| | | Standard 12 • Comn | nerce : Computer Studies | Star |
|------------|---|---|--|--|
| | (C) Corresponding values of properties | | | 83. |
| | (D) Both (B) and (C) | | | |
| 71. | What is the name of the data structure memory? | , where all instance | es of class are allocated | |
| | (A) Heap (B) JVM | (C) Garbage Colle | ector (D) Instance | |
| 72. | Which attribute is used to specify whe submitted and what will be the value of | | data when the form is | 0.4 |
| | (A) Method, Get (B) Method, Post | (C) Action, Get | (D) Action, File name | 84. |
| 73. | Which symbol is used to begin single-l | ine comment? | | |
| | (A) /**/ (B) /***/ | (L) // | (D) \\ | 0.5 |
| 74. | Which method is used, when we want to value? | allow other method | ds to ready only the data | 85. |
| | (A) setter (B) getter | (C) void | (D) return | |
| 75. | Which of the following methods retuinvoking string? | rns a string after | appending str with the | 86. |
| | (A) string to Lower case () | (B) string to Uppe | er case () | |
| - | (2) string concat (string str) | (D) int length () | | 87. |
| 76. | By using which kind of programming leto change or replace modules without of | • | | |
| | (A) Procedural programming | | | 88. |
| | (B) Higher level programming language | e · | | |
| | (C) Object-Oriented programming language | ıage | | |
| | (D) 'C' programming language | | | 89. |
| 77. | Which of the following is an example of model? | of Government to B | susiness (G2B), business | ATTO AND |
| | (A) www.irctc.co.in | (B) www.incomet | axindia.gov.in | 90. |
| | | (D) amazan aam | | 1 90. |
| | (C) tradeindia.com | (D) amazon.com | | |
| 78. | , | | | |
| 78. | Which of the following is a limitation | | | FO O A TO THE REAL PROPERTY OF THE PROPERTY OF |
| 78. | Which of the following is a limitation | of E-commerce? (B) Lower cost | ness 24 x 7 | 91. |
| | Which of the following is a limitation (A) Resistance to change | of E-commerce ? (B) Lower cost (D) Conduct busi | • | FO O A TO THE REAL PROPERTY OF THE PROPERTY OF |
| | Which of the following is a limitation (A) Resistance to change (C) Team work | of E-commerce ? (B) Lower cost (D) Conduct busi are suported in Jav | va ? | 91. |
| 79. | Which of the following is a limitation (A) Resistance to change (C) Team work How many basic (primitive) data types | of E-commerce? (B) Lower cost (D) Conduct busi are suported in Jav (C) 8 ow the access only | va? (D) 16 | FO O A TO THE REAL PROPERTY OF THE PROPERTY OF |
| 79. | Which of the following is a limitation (A) Resistance to change (C) Team work How many basic (primitive) data types (A) 2 (B) 4 Which level of protection is used to alle | of E-commerce? (B) Lower cost (D) Conduct busi are suported in Jav (C) 8 ow the access only | va? (D) 16 to subclasses or to share | 91. 92. |
| 79. | Which of the following is a limitation (A) Resistance to change (C) Team work How many basic (primitive) data types (A) 2 (B) 4 Which level of protection is used to allowith the methods declared as "friend"? (A) Private (B) Public Which of the following security measurements. | of E-commerce? (B) Lower cost (D) Conduct busi are suported in Jan (C) 8 ow the access only (C) Package es ensures that the o | va? (D) 16 to subclasses or to share (D) Protected company is not accessed | 91. |
| 79. 80. | Which of the following is a limitation (A) Resistance to change (C) Team work How many basic (primitive) data types (A) 2 (B) 4 Which level of protection is used to allewith the methods declared as "friend"? (A) Private (B) Public Which of the following security measure by the intruders? | of E-commerce? (B) Lower cost (D) Conduct busi are suported in Jav (C) 8 ow the access only (C) Package es ensures that the o | va? (D) 16 to subclasses or to share (D) Protected company is not accessed | 91. 92. |
| 79. 80. | Which of the following is a limitation (A) Resistance to change (C) Team work How many basic (primitive) data types (A) 2 (B) 4 Which level of protection is used to allewith the methods declared as "friend"? (A) Private (B) Public Which of the following security measure by the intruders? (A) Firewall | of E-commerce? (B) Lower cost (D) Conduct busing are suported in Java (C) 8 ow the access only (C) Package es ensures that the commerce? | va? (D) 16 to subclasses or to share (D) Protected company is not accessed icate | 91. 92. 93. |
| 79. 80. | Which of the following is a limitation (A) Resistance to change (C) Team work How many basic (primitive) data types (A) 2 (B) 4 Which level of protection is used to allewith the methods declared as "friend"? (A) Private (B) Public Which of the following security measure by the intruders? (A) Firewall (C) Cryptography | of E-commerce? (B) Lower cost (D) Conduct busing are suported in Java (C) 8 ow the access only (C) Package are ensures that the commerce (B) Digital Certification (D) Copyright ould be clicked to | va? (D) 16 to subclasses or to share (D) Protected company is not accessed icate select the file for the | 91. 92. |

| 83. | | wing methods is use ag the specified form | | ed string to the console's nents? |
|-----|------------------------------------|--|----------------------------------|---|
| | (A) Console prints | (string format, obje | ect args) | |
| | (B) Char read pass | sword () | | |
| • | (C) Char read Cor | nsole () | | |
| | (D) String (Object | args) | | |
| 84. | | _ | ked after giving Skyl | pe name and password in |
| | (A) Sign in | (B) Log in | (C) New User | (D) Enter Skype |
| 85. | Which option is u | sed to create link in | the website? | |
| | (∧) Insert → Link | | (B) File \rightarrow Publi | sh |
| | (C) Insert \rightarrow Hype | | (D) File \rightarrow Uplo | ad |
| 86. | • • | ch of the following | • | |
| | (A) Insert \rightarrow Selection | _ | (B) Form → Sele | |
| | (C) File \rightarrow Selection | ion List | (D) Edit \rightarrow Selection | |
| 87. | | | | e projects in PHP, Rails, |
| | (A) HTML | (B) BlueGriffon | (C) Amaya | (D) Aptana Studio |
| 88. | | lowing business m st likely to see on in | | f E-commerce that the |
| | (A) C2B | (B) B2B | (C) C2C | √D) B2C |
| 89. | - | dow, which tab of E ently created form | | nould be clicked to view |
| | (A) Design | (B) Preview | (C) Source | (D) Normal |
| 90. | | mputer Science, whe | | g lines indicates that the |
| | (A) Exit Code: 1 | (B) Exit Code: 0 | (C) Exit Code: - | 1 (D) Exit: 1 |
| 91. | Which package of within the docume | = | l features for includ | ding programming code |
| | (A) easylist | (B) amsmath | (C) geometry | (D) listings |
| 92. | Which of the follo actions? | wing options is prov | vided by Java, mainl | y to perform initializing |
| | (A) Constructions | (B) Object | (C) Class | (D) Method |
| 93. | | interface, which allo | | provides web developers ebsites without requiring |
| | (A) Amaya | (B) BlueGriffon | (C) Aptana Studio | (D) KompoZer |
| 94. | - | interactivity with th | _ | static, but can include rowser and dynamically |
| | (A) Java Script | (B) CSS | (C) HTML | (D) KompoZer |

| ne | **** | .1. 6.41. | G-11 | • | | C 61 | :4240 | | _ | |
|--------------|---------------|-------------------------------|----------------|------------------------|----------------|-------------------------|---------------------|----------------|----------------|----------------|
| 95. | | | _ | s is an eve | | | nit' event? | | | |
| | | submit () | | - | |) function) onclick | submit () | | | |
| - | ₩ | onsubmit | | ed if we | • | • | ges from c | ur compu | ter to the | |
| 70. | | host vie | - | cu, ii wc | iransici in | c web pag | ges from e | di Compa | ici to the | |
| | (A) | Name of | the websi | te | (B |) Number | of total p | ages | | |
| 3 1 | (C) | user nam | e and pass | sword | (D |) Value o | f method a | attribute | | |
| 97. | | | | _ | | | ore transp | arency ar | mong the | |
| | | | | | | ore efficie | .55 | , | | |
| | ` ' | C2C | ` ' |) C2B | , |) B2C | V | D) B2B | | |
| 98. | | | - | • | | | eters into n | | le format? | |
| 00 | Ψ. | Password | |) Check be | |) Taxt | ` | O) Reset | | 1 |
| 99. | | achive M Archive | • • | nich opuo) Compres | |) Extract | new archiv | O) Back | | |
| 100. | ` ' | | • | = | • | • | such as pa | • | . program | |
| 1001 | | or applic | | | iss sime our | | sasii as pe | -, 10111110 | , r. Simili | |
| | (A) | Binary fi | les (B |) Taxt file | s (C |) Image f | iles (I |) All (A) | , (B), (C) | |
| | | | • | | | | | | | |
| | | | RMA | DOLL O | 000 | A NICYAN | EDC. | | | - Transconding |
| | | | AIVI | HUH 2 | U2U : A | ANSW | EKS | | | |
| 1. (B | 3) | 2. (D) | 3. (B) | 4. (B) | 5. (D) | 6. (C) | 7. (C) | 8. (D) | 9. (D) | |
| 10. (| (B) | 11. (D) | 12. (D) | 13. (B) | 14. (A) | 15. (A) | 16. (D) | 17. (C) | 18. (D) | |
| 19. (| (D) | 20. (C) | 21. (D) | 22. (B) | 23. (C) | 24. (B) | 25. (A) | 26. (B) | 27. (C) | |
| 28. (| (C) | 29. (C) | 30. (A) | 31. (A) | 32. (C) | 33. (A) | 34. (C) | 35. (D) | 36. (B) | |
| 37. (| (D) | 38. (C) | 39. (C) | 40. (C) | 41. (A) | 42. (D) | 43. (D) | 44. (B) | 45. (D) | |
| 46. (| (D) | 47. (A) | 48. (C) | 49. (D) | 50. (C) | 51. (A) | 52. (C) | 53. (C) | 54. (B) | |
| 55. (| (A) | 56. (A) | 57. (B) | 58. (B) | 59. (A) | 60. (C) | 61. (B) | 62. (D) | 63. (C) | |
| 64. (| (B) | 65. (B) | 66. (A) | 67. (B) | 68. (B) | 69. (C) | 70. (D) | 71. (A) | 72. (D) | |
| 73. (| (C) | 74. (B) | 75. (C) | 76. (C) | 77. (B) | 78. (A) | 79. (D) | 80. (D) | 81. (A) | |
| 82. (| (D) | 83. (A) | 84. (A) | 85. (A) | 86. (B) | 87. (D) | 88. (D) | 89. (C) | 90. (A) | |
| 91. (| (D) | 92. (A) | 93. (B) | 94. (A) | 95. (C) | 96. (C) | 97. (D) | 98. (A) | 99. (B) | |
| 100. | (B) | salararya Vita ing salarar | a i sikili . | i je også | | | | | | l |
| | ร์ รัสราณี | | eranja di | Control of Marie | - | iawa na wa | 45 B | | 1 4 7 | l |
| 32312 | | | | | | | | • | | 3 |
| | | vių ilgari (1). | 99 P. V. | Marin gala | ga Sala Ali | | val. 1997 Karona | | | |